

# FABRICS COLLECTION

**EDITION 2025** 



Composition: 100% Polyester Material weight: 354 g/m<sup>2</sup>

Abrasion resistance: 35.000 cycles Martindale

Pilling resistance: 4 Lightfastness: 3-4

# INSTRUCTIONS FOR CLEANING AND **MAINTANANCE**

### CHARACTERISTICS:

- Very soft and nice in touch with chenille yarn
- Different shades of yarn and a relief structure
- Highly breathable, high comfort of use

#### MAINTENANCE:

The Arano fabric requires careful cleaning. We suggest very gentle cleaning with a soft nozzle. In case of any minor stains, the fabric should be wiped quickly with a dry cloth. Avoid rubbing against a damp surface. The fabric is not washable. A thorough cleaning or removing substantial dirt should be assigned to professional maintenance services companies. A proper maintenance of the fabric is one of key warranty conditions; any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints. Shades of fabric swatches and those of a furniture covering may vary slightly.





Arano 24



Fabric composition: 97% Polyester, 3% Cotton

Material weight: 370 g/m<sup>2</sup>

Abrasion resistance: 25.000 cycles Martindale

Pilling resistance: 4 Lightfastness: 4

# INSTRUCTIONS FOR CLEANING AND **MAINTANANCE**

### CHARACTERISTICS:

- Soft fabric, nice to touch
- Gentle texture and melange of colors give a noble, rustic
- Highly breathable, high comfort of use

#### MAINTENANCE:

The Castle fabric requires careful cleaning. A gentle vacuuming with a soft nozzle is recommended. The fabric does not have a chemical finish protecting it against water absorption and dirt. In case any slight stains appear, wipe the fabric immediately with a dry cloth. Avoid rubbing against a damp fabric. The fabric is not washable. A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance services companies. A proper maintenance of the fabric is one of key warranty conditions, any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.





Fabric composition: 100% Polyester

Material weight: 480 g/m<sup>2</sup>

Abrasion resistance: 60.000 cycles Martindale

Pilling resistance: 4 Lightfastness: 5

# INSTRUCTIONS FOR CLEANING AND **MAINTANANCE**

#### CHARACTERISTICS:

- melange, woven fabric, nice to the touch
- natural colors give the fabric a rustic look
- highly breathable, high comfort of use

#### MAINTENANCE:

The Dakar fabric requires careful cleaning. A gentle vacuuming with a soft nozzle is recommended. The fabric does not have a chemical finish protecting it against water absorption and dirt. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric left to dry. Avoid rubbing the damp fabric. Dakar fabric is not machine washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies. Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.



Dakar 71 Dakar 74 Dakar 88



Fabric composition: 100% Polyester

Material weight: 480 g/m<sup>2</sup>

Abrasion resistance: 25.000 cycles Martindale

Pilling resistance: 4-5 Lightfastness: 4

# INSTRUCTIONS FOR CLEANING AND MAINTANANCE

### **CHARACTERISTICS:**

- Very soft fabric, nice to touch
- Subtle irregular pattern imitating genuine leather
- Highly breathable, high comfort of use
- Does not attract dust, pilling resistant

#### MAINTENANCE:

A gentle vacuuming with a soft nozzle is recommended. The Dakota fabric does not have a chemical finish protecting it against water absorption and dirt. In case any slight stains appear, wipe the fabric immediately with a dry cloth. Avoid rubbing against a damp fabric. The fabric is not washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance services companies.

A proper maintenance of the fabric is one of key warranty conditions, any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.





Dakota 14



Fabric composition: 100% Polyester

Material weight: 370 g/m<sup>2</sup>

Abrasion resistance: 50.000 cycles Martindale

Pilling resistance: 4 Lightfastness: 4

# INSTRUCTIONS FOR CLEANING AND MAINTANANCE

#### CHARACTERISTICS:

- Very soft fabric with chenille thread, nice to touch
- Fancy yarn gives a subtle, irregular weave texture
- Highly breathable, high comfort of use

#### MAINTENANCE:

A gentle vacuuming with a soft nozzle is recommended. The Denali fabric does not have a chemical finish protecting it against water absorption and dirt. In case any slight stains appear, wipe the fabric immediately with a dry cloth. Avoid rubbing against a damp fabric. The fabric is not washable. A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance services companies. A proper maintenance of the fabric is one of key warranty conditions, any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints. Shades of fabric swatches and those of the furniture covering may vary slightly.





Denali 89



Fabric composition: 100% Polyester

Material weight: 410 g/m2

Abrasion resistance: 80.000 cycles Martindale

Pilling resistance: 5 Lightfastness: 4-5

# INSTRUCTIONS FOR CLEANING AND MAINTANANCE

#### CHARACTERISTICS:


- Very soft velvet, nice to touch
- Elegant material with a velvety, gently shading texture
- Perfectly matches stylish and modern furniture
- Highly breathable, high comfort of use

#### MAINTENANCE:

During use the fibers on the fabric surface can stack in different directions what triggers shading effect. We recommend gentle cleaning with a soft brush, always following the original direction of the fiber. The fabric is not washable. In case of wet stains, remove the dirt quickly with a dry cloth and allow the fabric to dry. While drying take care that the fibers cover is arranged in the right direction. Do not rub the fabric!

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance services companies.

A proper maintenance of the fabric is one of key warranty conditions; any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints. Shades of fabric swatches and those of the furniture covering may vary slightly.





Fabric composition: 100% Polyester

Material weight: 400 g/m<sup>2</sup>

Abrasion resistance: 50.000 cycles Martindale

Pilling resistance: 4 Lightfastness: 5

# INSTRUCTIONS FOR CLEANING AND MAINTANANCE

### **CHARACTERISTICS:**

- Very soft fabric with chenille thread, nice to touch
- Different shades of weft and warp give the fabric original look
- Highly breathable, high comfort of use

#### MAINTENANCE:

The Forte fabric requires careful cleaning. A gentle vacuuming with a soft nozzle is recommended. The fabric does not have a chemical finish protecting it against water absorption and dirt. In case any slight stains appear, wipe the fabric immediately with a dry cloth. Avoid rubbing against a damp fabric. The fabric is not washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance services companies. A proper maintenance of the fabric is one of key warranty conditions, any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints. Shades of fabric swatches and those of the furniture covering may vary slightly.





Fabric composition: 100% Polyester

Material weight: 410 g/m<sup>2</sup>

Abrasion resistance: 35.000 cycles Martindale

Pilling resistance: 5 Lightfastness: 5

# INSTRUCTIONS FOR CLEANING AND MAINTANANCE

### **CHARACTERISTICS:**

- plain, very soft fabric, nice to the touch
- has a delicate, slightly shiny surface structure
- it does not pill or discolor

#### MAINTENANCE:

A gentle vacuuming with a very soft nozzle once a week is recommended. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric allowed to dry. Do not rub the damp fabric! Imperia fabric is not machine washable, hand wash at 30° C. Do not wring!

Iron the reverse side of the fabric only at a maximum temperature of 110  $^{\circ}$  C.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies.

Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.



Imperia 751



Fabric composition: 100% Polyester

Material weight: 493 g/m<sup>2</sup>

Abrasion resistance: 80.000 cycles Martindale

Pilling resistance: 4-5 Lightfastness: 4

# INSTRUCTIONS FOR CLEANING AND MAINTANANCE

#### **CHARACTERISTICS:**

- Soft fabric, nice to touch
- Irregular embossed relief imitating genuine leather
- Highly breathable, high comfort of use
- Does not attract dust, pilling resistant

#### MAINTENANCE:

A gentle vacuuming with a soft nozzle is recommended. The Lago fabric does not have a chemical finish protecting it against water absorption and dirt. In case any slight stains appear, wipe the fabric immediately with a dry cloth. Avoid rubbing against a damp fabric. The fabric is not machine washable. A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance services companies. A proper maintenance of the fabric is one of key warranty conditions, any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.



Lago 10



Fabric composition: 94% Polyester, 6% Nylon

Material weight: 350 g/m<sup>2</sup>

Abrasion resistance: 50.000 cycles Martindale

Pilling resistance: 4-5 Lightfastness: 3-4

# INSTRUCTIONS FOR CLEANING AND **MAINTANANCE**

#### CHARACTERISTICS:

- Very soft fabric, nice to touch
- Gentle, relief structure and natural colors gives it a noble
- Highly breathable, high comfort of use

#### **MAINTENANCE:**

A very gentle vacuuming with a soft nozzle is recommended. The Linda fabric has a wet-stain-repellent finish that protects it from water absorption. In case any wet stains appear, wipe the fabric immediately with a dry cloth. Avoid rubbing against a damp fabric. The fabric is not machine washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance services companies. A proper maintenance of the fabric is one of key warranty conditions; any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints. Shades of fabric swatches and those of the furniture covering may vary slightly.



Linda 24



Fabric composition: 100% Polyester

Material weight: 580 g/m<sup>2</sup>

Abrasion resistance: 100.000 cycles Martindale

Pilling resistance: 4-5 Lightfastness: 5

# INSTRUCTIONS FOR CLEANING AND MAINTANANCE

### CHARACTERISTICS:

- relief, very soft chenille fabric
- has a delicate, slightly shiny surface structure
- it does not pill or discolor
- high comfort of use in all seasons

#### **MAINTENANCE:**

A gentle vacuuming with a very soft nozzle once a week is recommended. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric allowed to dry. Do not rub the damp fabric! Madera fabric is not machine

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies.

Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.





Fabric composition: 92% Polyester, 8% Polyamide

Material weight: 372 g/m<sup>2</sup>

Abrasion resistance: 45.000 cycles Martindale

Pilling resistance: 4-5 Lightfastness: 5

# INSTRUCTIONS FOR CLEANING AND **MAINTANANCE**

#### CHARACTERISTICS:

- very soft fabric, nice to touch
- gentle, relief structure and natural colors gives it a noble look
- highly breathable, high comfort of use

### **MAINTENANCE:**

A very gentle vacuuming with a soft nozzle is recommended. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric allowed to dry. Avoid rubbing the damp fabric. Monte Carlo fabric is not machine washable, hand wash at 30° C. Do not wring! Iron the reverse side of the fabric only at a maximum temperature of 110 ° C. A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies. Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints. Shades of fabric swatches and those of the furniture covering may vary slightly.





Composition: 100% Polyester

Weight: 550 g/m<sup>2</sup>

Abrasion resistance: 100.000 Martindale cycles

Pilling resistance: 4/5 Lightfastness: 5

# INSTRUCTIONS FOR CLEANING AND MAINTANANCE

### **CHARACTERISTICS:**

- very soft textured fabric with chenille yarn
- beautifully highlights the rounded shapes of modern furniture
- durable and pleasant to use

#### MAINTENANCE:

A gentle vacuuming with a soft nozzle is recommended. The fabric does not have a chemical finish protecting it against water absorption and dirt. If wet stains occur, the dirt should be quickly wiped off with a damp cloth and the fabric left to dry. Avoid intensive rubbing of the fabric. Oro fabric is not machine washable, hand wash at 30° C is possible. Do not wring or iron. A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies. Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.





Fabric composition: 100% Polyester

Material weight: 400 g/m<sup>2</sup>

Abrasion resistance: 23.000 cycles Martindale

Pilling resistance: 4 Lightfastness: 4

# INSTRUCTIONS FOR CLEANING AND **MAINTANANCE**


#### CHARACTERISTICS:

- Very soft fabric with chenille thread, nice to touch
- Structural surface and melange yarn give it a noble look
- Highly breathable, high comfort of use

#### MAINTENANCE:

The River fabric requires careful cleaning. We suggest very gentle cleaning with a soft nozzle. In case of any minor stains, the fabric should be wiped quickly with a dry cloth. Avoid rubbing against a damp surface. The fabric is not washable. A thorough cleaning or removing substantial dirt should be assigned to professional maintenance services companies. A proper maintenance of the fabric is one of key warranty conditions; any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints. Shades of fabric swatches and those of a furniture covering may vary slightly.





Composition: 100% Polyester Material weight: 400 g/m<sup>2</sup>

Abrasion resistance: 50.000 cycles Martindale

Pilling resistance: 4-5 Lightfastness: 5

# INSTRUCTIONS FOR CLEANING AND MAINTANANCE

### CHARACTERISTICS:

- soft fabric, very nice to the touch
- matte with a visible melange effect
- universal, looks good on any piece of furniture
- it does not pill or discolour

#### **MAINTENANCE:**

A gentle vacuuming with a soft nozzle is recommended. The fabric does not have a chemical finish protecting it against water absorption and dirt. If wet stains occur, the dirt should be quickly wiped off with a damp cloth and the fabric left to dry. Avoid intensive rubbing of the fabric. Ruby fabric is not machine washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies. Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.





Ruby 30



Fabric composition: 100% Polyester

Material weight: 410 g/m<sup>2</sup>

Abrasion resistance: 100.000 cycles Martindale

Pilling resistance: 4 Lightfastness: 5

# INSTRUCTIONS FOR CLEANING AND MAINTANANCE

### **CHARACTERISTICS:**

- Very soft, structured chenille fabric, nice to touch
- Thick weave and subtle brilliance give the fabric an original look
- Highly breathable, high comfort of use

#### MAINTENANCE:

The Sajma fabric requires careful cleaning. A gentle vacuuming with a soft nozzle is recommended. The fabric does not have a chemical finish protecting it against water absorption and dirt. In case any slight stains appear, wipe the fabric immediately with a dry cloth. Avoid rubbing against a damp fabric. The fabric is not washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance services companies.

A proper maintenance of the fabric is one of key warranty conditions, any treatments damaging the fabric surface constitute the grounds for the rejection of possible complaints.





Fabric composition: 100% Polyester

Material weight: 410 g/ m<sup>2</sup>

Abrasion resistance: 42.000 Martindale cycles

Pilling resistance: 5 Lightfastness: 4-5

# INSTRUCTIONS FOR CLEANING AND **MAINTANANCE**

### CHARACTERISTICS:

- very soft, printed and embossed fabric
- imitates woven fabric with a pleasant surface
- works very well on furniture with functions
- highly breathable, high comfort of use

#### MAINTENANCE:

A very gentle vacuuming with a soft nozzle is recommended. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric left to dry. Avoid rubbing the damp fabric. San Remo fabric is not machine washable.

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies.

Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints. Shades of fabric swatches and those of the furniture covering

may vary slightly.





Fabric composition: 100% Polyester

Material weight: 550 g/m<sup>2</sup>

Abrasion resistance: 60.000 cycles Martindale

Pilling resistance: 4-5



Sintra 68

Sintra 44



Fabric composition: 100% Polyester

Weight: 350 g/m2

Abrasion resistance: 35.000 Martindale cycles

Pilling resistance: 5 Color fastness: 4-5

# INSTRUCTIONS FOR CLEANING AND MAINTANANCE

#### CHARACTERISTICS:

- corduroy fabric with distinctive, thick ribbing
- very soft fabric, nice to touch
- highly breathable
- pilling resistant, perfect for large sofas

### **MAINTENANCE:**

A very gently cleaning of the fabric with a very soft brush following the direction of the fibers is recommended. If wet stains occur, the dirt should be quickly wiped off with a dry cloth and the fabric left to dry. Do not rub damp fabric! Tellaro fabric is not machine washable, hand wash at 30° C. Do not wring and do not iron!

A thorough cleaning or removing substantial dirt should be entrusted to professional maintenance companies.

Proper maintenance of the fabric is one of the key warranty conditions. Any treatments damaging the fabric surface constitute grounds for the rejection of possible complaints.





# Ribbed band



